

## Sand Pro® 3040/5040

With the Quick Attach System™ (QAS) and over 21 attachments, the Sand Pro 3040 & 5040 are versatile utility vehicles with many uses on golf courses and sports fields. QAS lets you change most attachments in under a minute, with no tools required. And the variety of attachments allows you to repair a bunker, groom wet or dry sand, blow debris or reconstruct a tee with one machine. The Sand Pro keeps your course or field in tournament condition every day.



### Front Attachments


#### Front Lift Frame Assembly | 08712

- Front QAS mounting assembly and hydraulic components
- Used on Sand Pro 5040 only



#### Hydraulic Flex Blade | 08713

- Hydraulic QAS flex blade is designed for leveling, packing, and smoothing uneven areas in one pass
- Hydraulic float reduces operator influence and reduces over aggressive digging
- Steerable flex design reduces the possibility of operators catching the blade on a bunker wall or grass lip.
- Dual-function flex blade can be rotated on the jagged edge or smooth edge for the desired application
- Available for Sand Pro 5040 only and requires Front Lift Frame Assembly- 08712



#### Manual Blade | 08714

- Standard 102 cm (40") width steel blade
- Spring balanced manual blade is used for leveling uneven areas and pushing up bunkers after washouts
- Ideal for bunker renovation or new construction
- Foot lever enables operator to apply added down pressure
- Blade extension available to increase blade width to 152 cm (60") for leveling out larger uneven areas
- Cannot be used when 08712 is installed

#### 152 cm (60") Blade Extension | 115-5646



# Sand Pro® 3040/5040 Accessories

## Rear QAS Attachments



### Tooth Rake | 08751

- Designed to lightly scarify, pack, smooth, and groom in one pass
- Use in dry or wet conditions
- Can improve the condition of neglected sports fields

### Weight Kit for Tooth Rake | 115-4333

- Additional weight for the Tooth Rake attachment to improve performance in coarse or wet conditions
- Set of 5 weights



### Drag Mat Carrier System | 08756

- QAS mounted carrier frame with hydraulic lifter allows operator to raise and lower drag mats without ever leaving the operator seat
- 183 cm (72") width
- Required for use with Coco Drag Mat – 08758 and/or Steel Drag Mat – 08757 for desired finish



### Segmented Grooming Broom | 08753

- Designed to minimize top surface disruption, to maximize firmness, and provide a smooth finished look in contoured bunkers

### Replacement Segmented Grooming Broom | 110-8182

- Replacement grooming broom with stiffer bristles

### Weight Kit for Segmented Grooming Broom | 112-0025

- Additional weight for Segmented Grooming Broom to improve performance in coarse or wet conditions
- Set of 4 weights



### Tooth Rake Broom | 08816

- 190 cm (75") Brush
- Attaches behind the Tooth Rake (08751) for a smoother finish



### Coco Drag Mat | 08758

- Quickly produces a premium finish on dry, level surfaces
- Requires Drag Mat Carrier System - 08756



### Grooming Brush | 08794

- Designed to groom and level synthetic turf fields
- Designed to brush in topdressing and stand-up turf on greens and tees – requires Greens Brush Kit (119-7108) or Synthetic Turf Brush Kit (119-7107)

### Greens Brush | 119-7108

### Synthetic Turf Brush | 119-7107

### Spring Tine Kit | 119-7109

- Use to help stand-up and decompact synthetic turf

### Magnet Attachment | 119-2827

- Use to collect ferrous debris on synthetic field



### Pivoting Trowels Kit | 119-7158

- This new kit allows independent outside trowels to pivot and rake across the entire turn which eliminates unraked teardrop
- Attaches to Tooth Rake



### Steel Drag Mat | 08757

- Designed to for more rugged surfaces to quickly groom and finish
- Use on wet or dry sand surfaces
- Requires Drag Mat Carrier System - 08756



### Spring Rake | 08752

- Leaf rake assembly designed to be used alone or in combination with the tooth rake (08751) to achieve desired appearance
- Great for wet conditions and collecting debris in groomed areas
- If used independently, requires QAS A-Frame Assembly - 108-9427



### Nail Drag | 08761

- Pivots to follow the contours of uneven field surface
- Use to scarify, loosen, or weed before smoothing
- Easily adjust nail pattern and depth
- Accepts up to a 40D common nail



### Synthetic Turf Conditioner | 08790

- Stainless spring steel brushes loosen infill from compacted synthetic turf fields
- Use to scarify, loosen, or weed infields
- Use to groom beaches and rocky trails

# Sand Pro® 3040/5040 Accessories

## Rear QAS Attachments



**QAS Finish Grader | 08754**

- Use to level and/or scarify large areas
- Includes box plow and scarifier with spring load regulation to allow relief if obstruction is hit



**QAS Spiker | 08755**

- Use for spiking greens and other formal turf to increase air flow for healthier turf



**QAS Debris Blower | 08759**

- High powered blower designed to quickly clear debris from groomed and unwanted areas
- Hydraulically powered, 2000 rpm fan speed [2700 cfm @ 130 kph (2700 cfm @ 81 mph)]
- Requires Rear Remote Hydraulics - 08781



**Rahn® Groomer | Allied**

- The Rahn GL650 Infield Groomer levels uneven playing fields, helping to prevent ridge build up while creating a safer, more consistent infield
- The triple row broom is perfect for finishing the playing surface and can be stored upright for easy transport
- The 2-Way leveling system provides both a lock and float position to match infield conditions
- Rahn Groomer available from Rahn Industries at [www.rahngroomer.com](http://www.rahngroomer.com)

## Optional Tires



**Smooth Tire | 112-0034**

- Includes individual tire, wheel and stem valve assembly
- Typically used on greens



**Turf Tire | 94-6126**

- Turf tread tire

## Front & Rear QAS Attachments



**Bunker Pump | 08765**

- Brings bunkers back into play faster with a single operator
- Throws water up to 12 m (40') and can pump 360 l/min (95 gal/min)
- Adjustable throw direction and angle
- Mounts to front QAS (Sand Pro 5040) and rear QAS (Sand Pro 3040 & 5040)
- Requires Front Lift Frame Assembly– 08712 for front attachment (on Sand Pro 5040 only)
- Requires 08781 for rear mount
- Requires 08781 and 08782 for front mount



**Bunker Pump Remote Discharge Kit | 115-2084**

- An available 15 m (50') discharge hose allows the QAS Bunker Pump to be removed and dropped into hard to reach areas.



**Lip Broom | Allied**

- Eliminates the task of manually maintaining infield lips
- Removes ridge buildup by sweeping material back into the infield
- Use traction unit controls to adjust aggressiveness and speed
- Mounts to front QAS (Sand Pro 5040) and rear QAS (Sand Pro 3040 & 5040)
- Requires Front Lift Frame Assembly– 08712 for front attachment (on Sand Pro 5040 only)
- Lip Broom available from Rahn® Industries at [www.rahindustries.com](http://www.rahindustries.com)

# Sand Pro® 3040/5040 Accessories

## Mid-Mount Attachments

### Mid-Mount Assembly | 08731

- Base mounting assembly for mid-mount toolbars with spring-loaded regulation to allow relief if obstruction is hit



### Weeder Tine Toolbar | 08732

- Ideal for removing weeds and grass from less maintained bunkers and fields
- Requires Mid-Mount Assembly – 08731



### Solid Tine Toolbar | 08734

- Used for general scarifying applications
- Rotate teeth to maximize tine life
- Requires Mid-Mount Assembly – 08731



### Spring Tine Toolbar | 08733

- Use for light to moderate scarifying and daily maintenance in bunkers and on premium fields
- Requires Mid-Mount Assembly – 08731



### Leveling Blade | 108-8496

- Attaches to any mid-mount toolbar to quickly level out large areas
- Foot operated latch allows operator to lower leveling blade independently from the other mid-mount toolbar
- Selectable depth setting feature reduces operator influence and allows for more consistent leveling



### Carbide Tine Toolbar | 08735


- Use in the harshest conditions and for extended life
- 15 carbide tines included
- Requires Mid-Mount Assembly – 08731



### Edger | 08766

- Maintains the grass edge of the outfield near the infield skin or warning track
- Easily renovate ballfields by removing overgrown turf and infield lip build-up
- Significantly reduces labor required for infield edging
- Requires Rear Remote Hydraulics – 08781

## Rear Attachment Accessories



### QAS A-frame Assembly | 108-9427

- Can be used to attach Spring Rake 08752 to be used independently

### 400 Hour Filter Maintenance Kit | 30035

- Includes 9 engine oil filters, 2 hydraulic oil filters, and 2 air filters

### Rear Remote Hydraulics | 08781

- Quick connect design allows rear powered attachments to be connected in under a minute

### Front Remote Hydraulics | 08782

- Quick connect design allows front powered attachments to be connected in under a minute
- Requires Rear Remote Hydraulics – 08781


### Variable Orifice Kit | 112-1433

- Slows hydraulic lift and lower for increased precision and accuracy when using hydraulically powered attachments



### Light Kit | 110-1314

- Front and rear flood lights improve operator visibility during low natural light operation



### Speed Control Kit | 110-1371

- Adjustable speed check trains operators to groom at the desired speed while allowing the traction unit to operate in transport speed between tasks without any adjustments or levers



### Hitch/Tow Bar | 110-1375

- Allows the traction unit to convert to a utility vehicle to transport materials or trailers
- Attaches to QAS A-Frame or 108-9427 for quick removal when not in use

### 22.7kg (50 lb) Front Weight Kit | 100-6442

- Allows the Spiker or Rahn Groomer attachments without the Front Lift Frame Assembly attached to meet ANSI compliance

Specifications subject to change. Please contact your Toro distributor for details.

Printed in the U.S.A.

©2011 The Toro Company,  
8111 Lyndale Ave. S.,  
Bloomington, MN 55420-1196  
GB 200-4823REVA